



SCHUKO socket outlet 16 A with cover according to DIN VDE 0620 for installation in distribution boards

Model	
product brand name	SETRON
product designation	SCHUKO socket outlet
design of the special power supply unit	Without special power supply
General technical data	
mounting type	Latching mounting
material	Thermoplastic
Supply voltage	
type of voltage	AC
operating frequency	50/60 Hz
supply voltage frequency / rated value	50 Hz
Protection class	
protection class IP	IP20
Main circuit	
operating frequency	
• minimum	50 Hz
• maximum	50 Hz
operational current / rated value	16 A
Appearance	
appearance	Matt
RAL color number	RAL7035
color	grey
Product details	
product component	
• increased touch protection	No
• integrated / light source	No
• hinged lid	Yes
product feature / halogen-free	Yes
Number	
number of terminals / with cross-head screw	1
number of sockets	1
Connections	
stripped length	10 mm
arrangement of contacts / diagonal	No
connectable conductor cross-section / for rigid conductor	
• minimum	1.5 mm ²
• maximum	6 mm ²
connectable conductor cross-section / finely stranded / with core end processing / minimum	0.5 mm ²

tightening torque / with screw-type terminals / maximum	1.2 N·m
type of electrical connection	Screw terminal
Mechanical Design	
height	64.5 mm
width	44 mm
depth	75 mm
number of modular width units	2.5
fastening method	Built-in installation
net weight	91 g
material / of the enclosure	plastic
Environmental conditions	
ambient temperature	
• minimum	-10 °C
• maximum	55 °C
Certificates	
reference code / acc. to DIN EN 61346-2	X
General Product Approval	Declaration of Conformity
	other



[Miscellaneous](#)

[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE6801>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TE6801>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE6801

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





