



SIVACON S4 frame, H: 2000mm, W: 1000mm, D: 600mm

Model	
design of the surface	galvanized
design of the product / EMC version	No
Protection class	
protection class IP	IP00
Suitability	
suitability for installation / for metric dimensions	Yes
suitability for integration	
• surface-mounted installation	No
• flush mounting	No
suitability for use / for outside use	No
Product details	
product feature / of the enclosure / housing can be lined up	Yes
Number	
number of locking devices	0
number of doors	0
Mechanical Design	
height	2 000 mm
width	1 000 mm
depth	600 mm
fastening method	
• 19-inch installation	No
• floor mounting	Yes
• wall mounting	No
material thickness / of the plate	2.5 mm
net weight	33.5 kg
General Product Approval	Declaration of Conformity



[Miscellaneous](#)



[Miscellaneous](#)



EG-Konf.

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ1201-6BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ1201-6BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ1201-6BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



