

Pin busbar, 16 mm<sup>2</sup> Range with: 20x 5ST3643+10x 5ST3644+ 50x 5ST3645+10x 5ST3655




Figure similar

product brand name	SENTRON
product designation	Pin busbar combo pack
operational current rated value	80 A
<b>Mechanical Design</b>	
cross-section	16 mm <sup>2</sup>
Net Weight	7.7 kg
<b>Approvals Certificates</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



**Further information**

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3657>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3657>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3657](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3657)


**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**



---

last modified:

1/15/2026 