

Product data sheet

Specifications



Cover frame, Unica Pure, 2 gangs, oak

NU600484

⚠ Discontinued on: Dec 31, 2024

⚠ Discontinued

Main

Range	New Unica
Device application	Mounting
Product or component type	Cover frame
Aesthetic name	Unica Pure
Number of gangs	2 gangs
Installation direction	Horizontal
Type of frame	Double
Number of modules	2 x 2 modules
fixing mode	Clip-in
Colour tint	Oak
side color	Black (RAL 7021)

Complementary

Material	Polycarbonate: intermediate plate Wood: cover frame
surface treatment	Untreated
Surface finish	Glossy
Standards	IEC 60669-1 IEC 60884-1
Width	156 mm
Height	90 mm
Depth	11 mm
Product weight	0.052 kg
resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane

Environment

IK degree of protection	IK01
-------------------------	------

IP degree of protection	IP21D
-------------------------	-------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	2.5 cm
------------------	--------

Package 1 Width	9.7 cm
-----------------	--------

Package 1 Length	19.5 cm
------------------	---------

Package 1 Weight	95 g
------------------	------

Unit Type of Package 2	S03
------------------------	-----

Number of Units in Package 2	35
------------------------------	----

Package 2 Height	30 cm
------------------	-------

Package 2 Width	30 cm
-----------------	-------

Package 2 Length	40 cm
------------------	-------

Package 2 Weight	3.728 kg
------------------	----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.6 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	59bc1733-7007-4ba6-bfd5-f7904c7d9a13
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative







