

door-coupling rotary operating mechanism EMERGENCY OFF, with tolerance compensation, 75x75 mm, shaft 6x6 mm, handle size 45 mm, accessories for 3KD0 size 01/02

Model		
product brand name	SETRON	
product designation	Door mounted rotary operator	
design of the product	EMERGENCY OFF with tolerance compensation	
design of handle	Red-yellow	
design of the door lock system	Door interlocking	
size of cross-section of the shaft of door-coupling rotary operating mechanism	6x6 mm	
size format of the masking frame of door-coupling rotary operating mechanism	75x 75 mm	
length of handle	45 mm	
length of shaft of door-coupling rotary operating mechanism	300 mm	
protection class IP	IP65	
suitability for use	for 3KD size 01 and 02	
Product details		
product description	without lighting	
product feature interlock	Yes	
product component		
• extension shaft	No	
• handle for emergency-OFF function	Yes	
product feature lockable	Yes	
Accessories		
accessories	Door-coupling rotary operating mechanism	
display version for switch position indicator	0-I	
Mechanical Design		
height	105 mm	
width	88 mm	
depth	445 mm	
Net Weight	299 g	
Approvals Certificates		
Environment	General Product Approval	Maritime application

[Environmental Conformations](#)



LRS

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=8UD1171-1AD25>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1171-1AD25>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=8UD1171-1AD25

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

4/4/2025 

