

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.



Contact removal tool, for turned and rolled CK- 1.6-... contacts

Avantajele dumneavoastră

- Made from special high-grade tool steel
- Safe transport and protection of the tool by integrated plastic bracket

Date comerciale

Număr articol	1072069
Unitate de ambalare	1 Bucată
Cantitate minimă pentru comandă	1 Bucată
Cod produs	BH3171
Pagina de catalog	Pagina 398 (C-3-2019)
GTIN	4055626752563
Greutate pe bucată (inclusiv ambalajul)	52,6 g
Greutate pe bucată (fără ambalaj)	52,6 g
Cod tarifar vamal	82032000
Țara de origine	DE

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Date tehnice

Notes

General	for contact inserts HC-BB.../ HC-Q05.../ HC-COM8.../ HC-A 10-E...C / HC-A 16-E...C / HC-K 8/24-E...C / HC-M-06.../ HC-M-08.../HC-M-20...
---------	--

Product properties

Product type	Universal tools
--------------	-----------------

Dimensions

Width	26.8 mm
Height	26.8 mm
Length	142 mm

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Aprobări

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/ro/produse/1072069>



EAC

ID de înregistrare: RU x-DE.xx08.B.02974

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Clasificări

ECLASS

ECLASS-11.0	27440192
ECLASS-12.0	27440192
ECLASS-13.0	21045190

ETIM

ETIM 9.0	EC002943
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Environmental product compliance

EU RoHS

Îndeplinește cerințele conform directivei RoHS	Nu se aplică, niciun echipament electric și electronic
--	--

EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)	Nicio substanță cu un procentaj masic mai mare de 0,1 %
--	---

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

Accesorii

CK1,6-ED-0,37F AG - Crimp contact

1266249

<https://www.phoenixcontact.com/ro/produse/1266249>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.34 mm², AWG 24 ... 22

CK1,6-ED-0,37M AG - Crimp contact

1266193

<https://www.phoenixcontact.com/ro/produse/1266193>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.34 mm², AWG 26 ... 22

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,50M AG - Crimp contact

1266195

<https://www.phoenixcontact.com/ro/produse/1266195>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50F AG - Crimp contact

1266252

<https://www.phoenixcontact.com/ro/produse/1266252>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,75M AG - Crimp contact

1266450

<https://www.phoenixcontact.com/ro/produse/1266450>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75F AG - Crimp contact

1266259

<https://www.phoenixcontact.com/ro/produse/1266259>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,00M AG - Crimp contact

1266244

<https://www.phoenixcontact.com/ro/produse/1266244>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00F AG - Crimp contact

1266296

<https://www.phoenixcontact.com/ro/produse/1266296>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,50M AG - Crimp contact

1266245

<https://www.phoenixcontact.com/ro/produse/1266245>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50F AG - Crimp contact

1266263

<https://www.phoenixcontact.com/ro/produse/1266263>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,50BU AG - Crimp contact

1663433

<https://www.phoenixcontact.com/ro/produse/1663433>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50BU AU - Crimp contact

1674930

<https://www.phoenixcontact.com/ro/produse/1674930>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,50ST AG - Crimp contact

1663378

<https://www.phoenixcontact.com/ro/produse/1663378>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50ST AU - Crimp contact

1674875

<https://www.phoenixcontact.com/ro/produse/1674875>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,00BU AG - Crimp contact

1663420

<https://www.phoenixcontact.com/ro/produse/1663420>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00BU AU - Crimp contact

1674943

<https://www.phoenixcontact.com/ro/produse/1674943>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-1,00ST AG - Crimp contact

1663365

<https://www.phoenixcontact.com/ro/produse/1663365>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00ST AU - Crimp contact

1674888

<https://www.phoenixcontact.com/ro/produse/1674888>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,75BU AG - Crimp contact

1663417

<https://www.phoenixcontact.com/ro/produse/1663417>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75BU AU - Crimp contact

1672440

<https://www.phoenixcontact.com/ro/produse/1672440>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,75ST AG - Crimp contact

1663352

<https://www.phoenixcontact.com/ro/produse/1663352>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75ST AU - Crimp contact

1674914

<https://www.phoenixcontact.com/ro/produse/1674914>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,50BU AG - Crimp contact

1663404

<https://www.phoenixcontact.com/ro/produse/1663404>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50BU AU - Crimp contact

1674480

<https://www.phoenixcontact.com/ro/produse/1674480>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,50ST AG - Crimp contact

1663349

<https://www.phoenixcontact.com/ro/produse/1663349>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50ST AU - Crimp contact

1672453

<https://www.phoenixcontact.com/ro/produse/1672453>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,37BU AG - Crimp contact

1663394

<https://www.phoenixcontact.com/ro/produse/1663394>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK1,6-ED-0,37BU AU - Crimp contact

1674969

<https://www.phoenixcontact.com/ro/produse/1674969>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

UNIFOX RT-CK 1.6 - Contact removal tool



1072069

<https://www.phoenixcontact.com/ro/produse/1072069>

CK1,6-ED-0,37ST AG - Crimp contact

1663336

<https://www.phoenixcontact.com/ro/produse/1663336>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK1,6-ED-0,37ST AU - Crimp contact

1674901

<https://www.phoenixcontact.com/ro/produse/1674901>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

Phoenix Contact 2024 © - Toate drepturile rezervate
<https://www.phoenixcontact.com>

PHOENIX CONTACT România
Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1
Bucuresti 030133
+40 21 350 88 12 - 3
sales.ro@phoenixcontact.com