

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.

Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections



Avantajele dumneavoastră

- Made from special high-grade tool steel
- Safe transport and protection of the tool by integrated plastic bracket

Date comerciale

Număr articol	1089092
Unitate de ambalare	1 Bucată
Cantitate minimă pentru comandă	1 Bucată
Cod produs	BH3173
Pagina de catalog	Pagina 669 (C-2-2019)
GTIN	4055626892337
Greutate pe bucată (inclusiv ambalajul)	36 g
Greutate pe bucată (fără ambalaj)	36 g
Cod tarifar vamal	82032000
Țara de origine	DE

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Date tehnice

Notes

General	for contact inserts HC-BB.../ HC-Q05.../ HC-COM8.../ HC-A 10-E...C / HC-A 16-E...C / HC-K 8/24-E...C / HC-M-06.../ HC-M-08.../HC-M-20...
---------	--

Product properties

Product type	Assembly tool
--------------	---------------

Dimensions

Width	26.8 mm
Height	26.8 mm
Length	142 mm

Material specifications

Material	Steel with plastic handle
----------	---------------------------

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Aprobări

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/ro/produse/1089092>



EAC

ID de înregistrare: RU x-DE.xx08.B.02974

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Clasificări

ECLASS

ECLASS-11.0	27440192
ECLASS-12.0	27440192
ECLASS-13.0	21045190

ETIM

ETIM 9.0	EC002943
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Environmental product compliance

EU RoHS

Îndeplinește cerințele conform directivei RoHS

Nu se aplică, niciun echipament electric și electronic

EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)

Nicio substanță cu un procentaj masic mai mare de 0,1 %

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

Accesorii

CK1,6-ED-0,37F AG - Crimp contact

1266249

<https://www.phoenixcontact.com/ro/produse/1266249>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.34 mm², AWG 24 ... 22

CK1,6-ED-0,37M AG - Crimp contact

1266193

<https://www.phoenixcontact.com/ro/produse/1266193>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.34 mm², AWG 26 ... 22

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,50M AG - Crimp contact

1266195

<https://www.phoenixcontact.com/ro/produce/1266195>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50F AG - Crimp contact

1266252

<https://www.phoenixcontact.com/ro/produce/1266252>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,75M AG - Crimp contact

1266450

<https://www.phoenixcontact.com/ro/produce/1266450>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75F AG - Crimp contact

1266259

<https://www.phoenixcontact.com/ro/produce/1266259>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,00M AG - Crimp contact

1266244

<https://www.phoenixcontact.com/ro/produce/1266244>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00F AG - Crimp contact

1266296

<https://www.phoenixcontact.com/ro/produce/1266296>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,50M AG - Crimp contact

1266245

<https://www.phoenixcontact.com/ro/produce/1266245>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50F AG - Crimp contact

1266263

<https://www.phoenixcontact.com/ro/produce/1266263>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-0,50F AU - Crimp contact

1273564

<https://www.phoenixcontact.com/ro/produce/1273564>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK2,5-ED-0,50M AG - Crimp contact

1273667

<https://www.phoenixcontact.com/ro/produce/1273667>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-0,50M AU - Crimp contact

1273601

<https://www.phoenixcontact.com/ro/produce/1273601>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK2,5-ED-0,50F AG - Crimp contact

1273612

<https://www.phoenixcontact.com/ro/produce/1273612>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

CK2,5-ED-0,75F AG - Crimp contact

1273611

<https://www.phoenixcontact.com/ro/produse/1273611>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK2,5-ED-1,00M AU - Crimp contact

1273582

<https://www.phoenixcontact.com/ro/produse/1273582>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,00M AG - Crimp contact

1273665

<https://www.phoenixcontact.com/ro/produce/1273665>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK2,5-ED-1,00F AU - Crimp contact

1271379

<https://www.phoenixcontact.com/ro/produce/1271379>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,00F AG - Crimp contact

1273610

<https://www.phoenixcontact.com/ro/produce/1273610>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK2,5-ED-1,50M AU - Crimp contact

1273581

<https://www.phoenixcontact.com/ro/produce/1273581>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,50M AG - Crimp contact

1273664

<https://www.phoenixcontact.com/ro/produce/1273664>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-1,50F AU - Crimp contact

1271375

<https://www.phoenixcontact.com/ro/produce/1271375>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,50F AG - Crimp contact

1273609

<https://www.phoenixcontact.com/ro/produce/1273609>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-2,50M AU - Crimp contact

1273572

<https://www.phoenixcontact.com/ro/produce/1273572>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-2,50M AG - Crimp contact

1273663

<https://www.phoenixcontact.com/ro/produce/1273663>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-2,50F AU - Crimp contact

1271376

<https://www.phoenixcontact.com/ro/produce/1271376>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-2,50F AG - Crimp contact

1273607

<https://www.phoenixcontact.com/ro/produce/1273607>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-4,00M AG - Crimp contact

1273620

<https://www.phoenixcontact.com/ro/produce/1273620>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-4,00M AU - Crimp contact

1273568

<https://www.phoenixcontact.com/ro/produce/1273568>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK2,5-ED-4,00F AU - Crimp contact

1271372

<https://www.phoenixcontact.com/ro/produce/1271372>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-4,00F AG - Crimp contact

1273604

<https://www.phoenixcontact.com/ro/produce/1273604>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, lead-free, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK2,5-ED-4,00ST AG - Crimp contact

1663637

<https://www.phoenixcontact.com/ro/produce/1663637>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-4,00ST AU - Crimp contact

1674794

<https://www.phoenixcontact.com/ro/produce/1674794>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

CK2,5-ED-2,50BU AG - Crimp contact

1663682

<https://www.phoenixcontact.com/ro/produce/1663682>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-2,50BU AU - Crimp contact

1674862

<https://www.phoenixcontact.com/ro/produce/1674862>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

CK2,5-ED-2,50ST AG - Crimp contact

1663611

<https://www.phoenixcontact.com/ro/produce/1663611>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-2,50ST-S AG - Crimp contact

1663873

<https://www.phoenixcontact.com/ro/produce/1663873>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14, last make, first break contact

CK2,5-ED-2,50ST AU - Crimp contact

1674817

<https://www.phoenixcontact.com/ro/produce/1674817>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 2.5 mm² ... 2.5 mm², AWG 14

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,50BU AG - Crimp contact

1663679

<https://www.phoenixcontact.com/ro/produce/1663679>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-1,50BU AU - Crimp contact

1674820

<https://www.phoenixcontact.com/ro/produce/1674820>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,50ST AG - Crimp contact

1663608

<https://www.phoenixcontact.com/ro/produce/1663608>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-1,50ST-S AG - Crimp contact

1663860

<https://www.phoenixcontact.com/ro/produce/1663860>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16, last make, first break contact

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,50ST AU - Crimp contact

1674778

<https://www.phoenixcontact.com/ro/produce/1674778>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK2,5-ED-1,00BU AG - Crimp contact

1663666

<https://www.phoenixcontact.com/ro/produce/1663666>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,00BU AU - Crimp contact

1674833

<https://www.phoenixcontact.com/ro/produce/1674833>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK2,5-ED-1,00ST AG - Crimp contact

1663598

<https://www.phoenixcontact.com/ro/produce/1663598>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-1,00ST-S AG - Crimp contact

1663857

<https://www.phoenixcontact.com/ro/produce/1663857>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18, last make, first break contact

CK2,5-ED-0,75BU AG - Crimp contact

1663653

<https://www.phoenixcontact.com/ro/produce/1663653>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-0,75ST AG - Crimp contact

1663585

<https://www.phoenixcontact.com/ro/produce/1663585>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK2,5-ED-0,50BU AG - Crimp contact

1663640

<https://www.phoenixcontact.com/ro/produce/1663640>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-0,50BU AU - Crimp contact

1674859

<https://www.phoenixcontact.com/ro/produce/1674859>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK2,5-ED-0,50ST AG - Crimp contact

1663572

<https://www.phoenixcontact.com/ro/produce/1663572>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK2,5-ED-0,50ST AU - Crimp contact

1674804

<https://www.phoenixcontact.com/ro/produce/1674804>



Crimp contact, contact diameter: 2.5 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-1,50BU AG - Crimp contact

1663433

<https://www.phoenixcontact.com/ro/produce/1663433>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,50BU AU - Crimp contact

1674930

<https://www.phoenixcontact.com/ro/produce/1674930>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,50ST AG - Crimp contact

1663378

<https://www.phoenixcontact.com/ro/produce/1663378>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,50ST AU - Crimp contact

1674875

<https://www.phoenixcontact.com/ro/produce/1674875>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1.5 mm² ... 1.5 mm², AWG 16

CK1,6-ED-1,00BU AG - Crimp contact

1663420

<https://www.phoenixcontact.com/ro/produce/1663420>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,00BU AU - Crimp contact

1674943

<https://www.phoenixcontact.com/ro/produce/1674943>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-1,00ST AG - Crimp contact

1663365

<https://www.phoenixcontact.com/ro/produce/1663365>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-1,00ST AU - Crimp contact

1674888

<https://www.phoenixcontact.com/ro/produce/1674888>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 1 mm² ... 1 mm², AWG 18

CK1,6-ED-0,75BU AG - Crimp contact

1663417

<https://www.phoenixcontact.com/ro/produce/1663417>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produse/1089092>

CK1,6-ED-0,75BU AU - Crimp contact

1672440

<https://www.phoenixcontact.com/ro/produse/1672440>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,75ST AG - Crimp contact

1663352

<https://www.phoenixcontact.com/ro/produse/1663352>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,75ST AU - Crimp contact

1674914

<https://www.phoenixcontact.com/ro/produce/1674914>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.75 mm² ... 0.75 mm², AWG 18

CK1,6-ED-0,50BU AG - Crimp contact

1663404

<https://www.phoenixcontact.com/ro/produce/1663404>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,50BU AU - Crimp contact

1674480

<https://www.phoenixcontact.com/ro/produce/1674480>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,50ST AG - Crimp contact

1663349

<https://www.phoenixcontact.com/ro/produce/1663349>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,50ST AU - Crimp contact

1672453

<https://www.phoenixcontact.com/ro/produce/1672453>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.5 mm² ... 0.5 mm², AWG 20

CK1,6-ED-0,37BU AG - Crimp contact

1663394

<https://www.phoenixcontact.com/ro/produce/1663394>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

UNIFOX MT-CK 1.6/2.5 - Assembly tool



1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,37BU AU - Crimp contact

1674969

<https://www.phoenixcontact.com/ro/produce/1674969>



Crimp contact, contact diameter: 1.6 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK1,6-ED-0,37ST AG - Crimp contact

1663336

<https://www.phoenixcontact.com/ro/produce/1663336>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produce/1089092>

CK1,6-ED-0,37ST AU - Crimp contact

1674901

<https://www.phoenixcontact.com/ro/produce/1674901>



Crimp contact, contact diameter: 1.6 mm, turned, Pin, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 0.14 mm² ... 0.37 mm², AWG 26 ... 22

CK2,5-ED-4,00BU AG - Crimp contact

1663705

<https://www.phoenixcontact.com/ro/produce/1663705>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: silver-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

UNIFOX MT-CK 1.6/2.5 - Assembly tool

1089092

<https://www.phoenixcontact.com/ro/produse/1089092>



CK2,5-ED-4,00BU AU - Crimp contact

1674846

<https://www.phoenixcontact.com/ro/produse/1674846>



Crimp contact, contact diameter: 2.5 mm, turned, Socket, contact material: Copper alloy, contact surface: gold-plated, connection cross section: 4 mm² ... 4 mm², AWG 12

Phoenix Contact 2024 © - Toate drepturile rezervate

<https://www.phoenixcontact.com>

PHOENIX CONTACT România

Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1

Bucuresti 030133

+40 21 350 88 12 - 3

sales.ro@phoenixcontact.com