



Device adapter S2, 80 A, direct online starter AWG4 25 mm<sup>2</sup> 150 mm 150° Length 260 mm, Width 54 mm

Model		
product brand name	SETRON	
product designation	Device adapter	
design of the product	Accessories	
number of mounting rails	1	
Connections		
type of electrical connection	25 mm <sup>2</sup> , AWG 4	
Mechanical Design		
height	260 mm	
width of the adapter	55 mm	
depth	63 mm	
thickness of the busbar		
• minimum	5 mm	
• maximum	10 mm	
busbar center-to-center spacing	60 mm	
Net Weight	515 g	
Approvals Certificates		
Environment	General Product Approval	Maritime application

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



Maritime application



Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1261-6MT10>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1261-6MT10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1261-6MT10](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1261-6MT10)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

12/6/2025 

