

Pin busbar touch-safe, 10 mm<sup>2</sup> 1-phase+AUX 214 mm long can be cut, with end caps



product brand name	SETRON
product designation	Pin busbar
design of the product	8x (1PH+HS)
design of the phase tap	L1/L1
<b>General technical data</b>	
compatibility	for MCBs 1P
design of pole	1 pole
phase number	1
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	Yes
suitability for interaction devices with N conductor	No
color	light grey
<b>Product details</b>	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	Yes
number of devices suitable for fitting	8
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	4 mm
width	13 mm
length	214 mm
number of modular width units	12
cross-section	10 mm <sup>2</sup>
angle of the pin of busbar	90°
Net Weight	31 g

### Approvals Certificates

Environment	General Product Approval
-------------	--------------------------

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)




[Confirmation](#)


[Miscellaneous](#)

General Product Ap-	other
---------------------	-------

[Confirmation](#)[Miscellaneous](#)

#### Further information

**Information on the packaging**<https://support.industry.siemens.com/cs/ww/en/view/109813875>**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3732>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3732>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3732](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3732)**CAX-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>**Characteristic curves**[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

last modified:

8/8/2025 

