



DELTA flaeche IP44, AP Dark gray/light gray button, 10A 250V, 1 change-over contact can be used as NC contact 66x 75 mm

Model	
product brand name	DELTA
product designation	pushbutton + universal switch
design of the product	single pushbutton
design of the switching function	1 changeover contact
type of composition	base element with complete housing
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	surface mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	230 V
Protection class	
protection class IP	IP44
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	shiny
color	grey
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product feature halogen-free	Yes
product feature transparent	No
Number	
number of actuating rockers	1
Mechanical Design	
height	75 mm
width	66 mm

depth	54 mm
fastening method	screw fixing
Net Weight	107 g
material of the enclosure	plastic

#### Approvals Certificates

Environment	General Product Approval
-------------	--------------------------

[Environmental Conformations](#)



#### Further information

##### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

##### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4707>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD4707>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TD4707](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4707)

##### CAX-Online-Generator

<https://www.siemens.com/cax>

##### Tender specifications

<https://www.siemens.com/specifications>

##### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



