

Fișă tehnică produs

Specificatii

EcoStruxure Operator Terminal Expert, Licenta profesionala 3 luni, Digitala



HMIPEXCZLSRAZZ

Principale

| | |
|-------------------------------------|---|
| gama de produse | EcoStruxure operator terminal Expert |
| Tip produs sau componenta | Licenta |
| format | Digital |
| tip software | Professional |
| tip de licenta | Node locked license |
| varianta | Timp de constructie |
| versiune software | V3.5 SP1 |
| Operating system requirement | Windows 10 64 bit |
| cerinte sistem | 8 GB RAM 30 GB hard-drive space |
| limba | Engleza Italiana Chineza Spaniola Franceza Germana Portugheza Korean |

Suplimentare

| | |
|-------------------------|--------------|
| License category | Subscription |
|-------------------------|--------------|

| | |
|------------------------------------|--|
| protocol port de comunicare | CANopen slave Couzet Automation millenium 3 FBD Emerson Industrial Automation Modbus SIO master Control Techniques Modbus SIO master Emerson Process Management ROC Plus Ethernet Emerson Process Management ROC SIO HTTP IPsec Mitsubishi A series Ethernet Mitsubishi FX series CPU direct Mitsubishi FX series Ethernet Mitsubishi iQ-R/F series Ethernet SLMP client Mitsubishi Q series CPU direct Mitsubishi Q series QnU CPU Ethernet Mitsubishi Q/QnA series serial Modbus Organization Modbus SIO ASCII master Modbus Organization Modbus SIO master Modbus Organization Modbus SIO slave Modbus Organization Modbus TCP master Modbus Organization Modbus TCP slave Omron CS/CJ/CP series host link Omron CS/CJ/CP/NX series Ethernet Omron CS/CJ/NJ/NX series Ethernet/IP Profibus DP slave Rockwell Automation Ethernet/IP Rockwell Automation DH485 Schneider Electric Modbus SIO master Schneider Electric Modbus TCP master Schneider Electric Modbus TCP master via USB Schneider Electric Machine expert network Schneider Electric PacDrive Schneider Electric Uni-Telway Schneider Electric Zelio Logic Siemens Simatic S7 Ethernet Siemens Simatic S7 MPI direct Siemens TIA portal Ethernet websocket Rockwell Automation DF1 OPC UA Foundation OPC UA server |
| versiunea soft precedenta | V3.5 |
| functie software | Professional screen design Simulation Alarms and events Blocky script Convertors Dockable windows interface environment Export with CSV and tab delimiter Import with CSV and tab format Data and operation logging Multi language development Multi language tables Object binding and properties Target binding and properties Project transfer (Ethernet, filesystem, USB cable) Recipes Screens (contents and folders) Security (levels, project, users) Project and application settings System keypad Text script Color themes Variable (arrays, binding, properties, structures) Online and integrated help system Server OPC UA Web server API |
| Compatibilitate gama | Harmony GTU Harmony GTUX Harmony ST6 Harmony STM6 Harmony STO7 Harmony iPC |
| Hosting option | On-premise |
| License duration | 3 mo |
| License size | Single (1 station) |

| | |
|------------------------------|--|
| Processor requirement | Intel core i3 8th generation Intel core i5 8th generation |
|------------------------------|--|

rezolutie afisaj 1280 x 720 pixels HD

Garanție contractuală

Garantie (in luni) 18



Environmental Data

Schneider Electric își propune să atingă nivelul Net Zero până în 2050 prin parteneriate la nivelul lanțului de aprovizionare, materiale cu impact mai redus și circularitate, prin campania „Use Better, Use Longer, Use Again” pentru a extinde durata de viață a produselor și reciclabilitatea.

[Environmental Data explicate >](#)

[Cum evaluăm sustenabilitatea produselor >](#)

Use Longer



Prelungire durata de viață

Reparare

Nu

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

EcoStruxure™ Operator Terminal Expert





Offer Marketing Illustration


Product benefits / Features


Features


EcoStruxure™ Operator Terminal Expert


- 

Create highly responsive screens with ease
- 

OPC-UA with state-of-the-art encryption to ensure data protection
- 

Live antialiasing and vector graphics promote clear design and scalability
- 

HTML5 web page operation with encrypted remote access using EcoStruxure™ Secure Connect
- 

Gestures and ready-made navigation
- 

Remote visualization on PC or Tablet / Smartphone with Web Viewer features

The infographic features a central image of a computer monitor displaying a control room interface with various data points and charts.