


Pin busbar, 16 mm² connection: 2x 1-phase touch-safe



product brand name	SENTRON	
product designation	Pin busbar	
design of the product	2x 1PH	
design of the phase tap	L1/L1	
General technical data		
compatibility	for 2 MCBs 1P	
design of pole	1 pole	
phase number	1	
operational current rated value	80 A	
suitability for interaction devices with auxiliary switch	No	
suitability for interaction devices with N conductor	No	
color	light grey	
Product details		
product feature attachable arc fault detection device	No	
product feature insulated	Yes	
product function		
• suitable for compact devices	No	
• can be cut	No	
number of devices suitable for fitting	2	
type of electrical connection	Pin	
Mechanical Design		
module width	18 mm	
height	14 mm	
width	3 mm	
length	33 mm	
number of modular width units	2	
cross-section	16 mm ²	
angle of the pin of busbar	0°	
Net Weight	9 g	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Miscellaneous](#)

[Confirmation](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3630>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3630>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3630

CAX-Online-Generator


<https://www.siemens.com/cax>


Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>





last modified:

8/8/2025 

