



DELTA Universal connection unit Connection socket 1x 8-pole RJ45 Cat. 6 E
Compact technology FLEX LSA-plus terminals Screw mounting shielded

Model	
product brand name	DELTA
product designation	Connection socket
design of the product	Communication
type of composition	basic element
General technical data	
mounting type	flush mounting
surface processing	others
product feature printed marking	No
material	others
Protection class	
protection class IP	IP20
Suitability	
suitability for use	UAE/IAE
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product feature luster terminal	No
product feature dust cover	No
product component	
• labeling field	No
• hinged lid	No
• strain relief	No
product feature halogen-free	Yes
product feature transparent	No
Mechanical Design	
height	70 mm
depth	40 mm
fastening method	screw mounting
Net Weight	147 g
material	metal
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-
firmations](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2026-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2026-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2026-1

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

8/15/2025 

