

DELTA pushbutton device insert, UP double pushbutton, 1 NO 1 NC/1 NO 10A 250V

Model	
product brand name	DELTA
product designation	Pushbutton insert
design of the product	single pushbutton
design of the switching function	others
type of composition	base element
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product feature halogen-free	Yes
product feature transparent	No
Number	
number of actuating rockers	2
Mechanical Design	
height	70 mm
width	70 mm

depth	32 mm
fastening method	claw/screw mounting
Net Weight	80 g
material of the enclosure	metal

Approvals Certificates

Environmental Product Declaration	
<ul style="list-style-type: none"> • global warming potential [CO2 eq] / during manufacturing • global warming potential [CO2 eq] / during operation • global warming potential [CO2 eq] / after end of life • global warming potential [CO2 eq] / total 	<ul style="list-style-type: none"> 0.353 kg 4.49 kg 0.0164 kg 4.86 kg
Environment	General Product Approval



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2115>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD2115>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2115

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simar.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simar.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/4/2025 