



device adapter S00, 25 A, for 60 mm busbar system, 45x 200 mm long, special lines welded-on, AWG 12, 165 mm long spacer enclosed with product mounting rail screwed on

Model		
product brand name	SENTRON	
product designation	Device adapter	
design of the product	Accessories	
number of mounting rails	1	
Connections		
type of electrical connection	AWG 12	
Mechanical Design		
height	200 mm	
width of the adapter	45 mm	
depth	63 mm	
thickness of the busbar		
• minimum	5 mm	
• maximum	10 mm	
busbar center-to-center spacing	60 mm	
Net Weight	319 g	
Approvals Certificates		
Environment	General Product Approval	Maritime application

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



Maritime application



Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DS11>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1251-5DS11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DS11

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

4/8/2025 

