

DELTA pushbutton device insert, UP double pushbutton, 2 NO 10A 250V

Model	
product brand name	DELTA
product designation	Pushbutton insert
design of the product	single pushbutton
design of the switching function	2 NO contacts
type of composition	base element
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	2
number of CO contacts	0
product feature halogen-free	Yes
product feature transparent	No
Number	
number of actuating rockers	2
Mechanical Design	
height	70 mm
width	70 mm

depth	32 mm
fastening method	claw/screw mounting
Net Weight	64 g
material of the enclosure	metal

#### Approvals Certificates

Environmental Product Declaration	
<ul style="list-style-type: none"> <li>• global warming potential [CO2 eq] / during manufacturing</li> <li>• global warming potential [CO2 eq] / during operation</li> <li>• global warming potential [CO2 eq] / after end of life</li> <li>• global warming potential [CO2 eq] / total</li> </ul>	<ul style="list-style-type: none"> <li>0.353 kg</li> <li>4.49 kg</li> <li>0.0164 kg</li> <li>4.86 kg</li> </ul>
Environment	General Product Approval



#### Further information

##### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

##### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2111>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD2111>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TD2111](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2111)

##### CAX-Online-Generator


<https://www.siemens.com/cax>

##### Tender specifications

<https://www.siemens.com/specifications>

##### Characteristic curves

[https://curves.simar.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simar.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/4/2025 