



SENTRON, cylindrical fuse holder, 10 x 38 mm, 1-pole, In: 30 A, Ue DC: 1000 V, LED Signal detector, for photovoltaic application

| Model | | |
|---|--|-------|
| product brand name | SENTRON | |
| product designation | Cylindrical fuse holder | |
| design of the product | LED signal detector, for photovoltaic applications | |
| General technical data | | |
| number of poles | 1 | |
| size of fuse link | 10 x 38 mm | |
| Supply voltage | | |
| operating voltage | | |
| • at DC rated value | 1 000 V | |
| protection class IP | IP20 | |
| Mechanical Design | | |
| height | 85 mm | |
| width | 18 mm | |
| depth | 65 mm | |
| Net Weight | 52 g | |
| Certificates | | |
| reference code according to IEC 81346-2 | F | |
| Approvals Certificates | | |
| Environment | General Product Approval | other |

[Environmental Confirmations](#)



[Miscellaneous](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7014-4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7014-4>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7014-4

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications



last modified:

4/11/2025 

