



DELTA i-system Cover plate TV/RF/SAT 3-hole aluminum-metallic

Model	
product brand name	DELTA
product designation	Cover plate, for TV/RF/SAT connection, 3-hole version
design of the product	TV / RF / SAT
cover plate version	55x55 mm
type of composition	central plate
General technical data	
mounting type	flush mounting
surface processing	others
product feature printed marking	No
material	thermoplastic
Protection class	
protection class IP	IP20
Suitability	
suitability for use	coaxial antenna outlet
Appearance	
appearance	shiny
RAL color number (similar)	9 006
color	aluminum metallic
Product details	
product feature luster terminal	No
product feature dust cover	No
product component	
• labeling field	No
• hinged lid	No
• strain relief	No
product feature halogen-free	Yes
product feature transparent	No
Mechanical Design	
height	55 mm
fastening method	screw mounting
Net Weight	12 g
material	plastic
Approvals Certificates	
Environment	General Product Approval

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1252-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1252-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1252-2

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

8/15/2025

