



Figure similar

D0 switch disconnecter, with fuse 400 V D02 63 A 3-pole, for 60 mm busbar system with screwless terminals, with LED signal detector

Model	
product brand name	SENTRON
product designation	Bus-mounting switch disconnectors with fuses
design of the product	with LED signal detector
General technical data	
number of poles	3
size of fuse system according to EN 60269-1	D02
Voltage	
surge voltage resistance rated value	6 kV
Supply voltage	
operating voltage at AC rated value	400 V
Protection class	
protection class IP	IP20, with connected conductors
Dissipation	
power loss [W] ● for rated value of the current at AC in hot operating state per pole	7.5 W
Product details	
product feature sealable	Yes
Mechanical Design	
height	79 mm
width	27 mm
depth	200 mm
mounting position	any, preferably vertical
Net Weight	378 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



Further information	
Information on the packaging	
https://support.industry.siemens.com/cs/ww/en/view/109813875	
Information for data generation and storage	
https://support.industry.siemens.com/cs/ww/en/view/109995012	
Information- and Downloadcenter (Catalogs, Brochures,...)	

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7234-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SG7234-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG7234-2

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

4/6/2026

