

Pin busbar, 10 mm<sup>2</sup> connection: 3-phase/N+8x phase touch-safe for 1F, 4-pole + 8 CB, 1-pole



product brand name	SETRON
product designation	Pin busbar
design of the product	3PH+(N)+ 8x 1PH
<b>General technical data</b>	
compatibility	for 8 MCBs 1P with 1 RCCB 3P+N, N right
design of pole	3 poles
phase number	3
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
suitability for use	RCCB 4P N right
color	light grey
<b>Product details</b>	
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	No
number of devices suitable for fitting	9
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	15 mm
width	9 mm
length	210 mm
number of modular width units	12
cross-section	10 mm <sup>2</sup>
angle of the pin of busbar	0°
Net Weight	80 g
<b>Approvals Certificates</b>	
Environment	General Product Approval
<a href="#">Environmental Conformations</a>	<a href="#">Environmental Conformations</a>
	
<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>
General Product Approval	other



Miscellaneous

Confirmation

#### Further information

##### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

##### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3624>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3624>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3624](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3624)

##### CAX-Online-Generator


<https://www.siemens.com/cax>


##### Tender specifications

<https://www.siemens.com/specifications>

##### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)





last modified:

1/15/2026 

