



DELTA i-system electrical white Retrofit kit overvoltage protection for SCHUKO socket outlets with cover plate 55x 55 mm and overvoltage protection

| Model | |
|--|---------------------------------------|
| product brand name | DELTA |
| product designation | Conversion kit |
| design of the product | SCHUKO socket outlet CEE 7/3 (type F) |
| cover version | central plate |
| design of the special power supply unit | without special current supply |
| design of the socket according to VDE 0620 for severe conditions | No |
| design of the phase tap | No |
| General technical data | |
| marking of socket outlet | without imprint |
| mounting type | fixing with claw and screw |
| surface processing | others |
| material | thermoplastic |
| Supply voltage | |
| operating voltage rated value | 250 V |
| supply voltage frequency rated value | 50 Hz |
| Protection class | |
| protection class IP | IP20 |
| Main circuit | |
| operational current rated value | 16 A |
| Appearance | |
| RAL color number (similar) | 1 013 |
| color | electric white |
| Product details | |
| product component | |
| • ejection equipment | No |
| • labeling field | No |
| • increased touch protection | Yes |
| • residual current device | No |
| • miniature fuse | No |
| • integrated functional lighting | No |
| • integrated light source | No |
| • integrated orientation lighting | No |
| • hinged lid | No |
| product feature lockable | No |
| product feature halogen-free | Yes |
| product feature transparent | No |
| Product function | |

| | |
|----------------------------------|----------------|
| product function | |
| • socket selectable | No |
| • overvoltage protection | No |
| Number | |
| number of units | 1 |
| number of sockets switchable | 0 |
| Connections | |
| arrangement of contacts diagonal | No |
| type of electrical connection | others |
| Mechanical Design | |
| height | 70 mm |
| width | 70 mm |
| depth | 45 mm |
| fastening method | flush mounting |
| Net Weight | 60 g |
| material of the enclosure | plastic |
| Approvals Certificates | |
| General Product Approval | |



Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5UH1341>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5UH1341>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5UH1341
- CAX-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>
- Characteristic curves
[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

8/19/2025

