



Neutral conductor, leading switching, for floor mounting. Accessory for main and emergency stop switch 3LD2 for 63A and for molded case switch 3LD5 UL for 30A

| Model | |
|--|---|
| product brand name | SETRON |
| product designation | Neutral conductor |
| design of the product | accessories for 3LD2 main and EMERGENCY-STOP switches |
| Accessories | |
| accessories | leading switching for floor mounting, up to 63 A |
| AWG number as coded connectable conductor cross section | |
| • minimum | 14 |
| • maximum | 6 |
| type of connectable conductor cross-sections for main contacts | |
| • finely stranded with core end processing | 1x (2.5...35 mm ²) |
| • solid or stranded | 1x (2.5 ... 16 mm ²) |
| Mechanical Design | |
| Net Weight | 74 g |
| Approvals Certificates | |
| Environment | General Product Approval |



[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9250-0CA>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3LD9250-0CA>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9250-0CA
- CAx-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>
- Characteristic curves
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

4/12/2025 

