



DELTA pushbutton device insert, UP with continuous lighting 1 change-over contact, with N terminal 10A 250V

Model	
product brand name	DELTA
product designation	Pushbutton insert
design of the product	single pushbutton
design of the switching function	1 changeover contact
type of composition	base element
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• integrated light source	Yes
• signaling contact	No
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product feature halogen-free	Yes
product feature transparent	No
Number	
number of actuating rockers	1
Mechanical Design	
height	70 mm
width	70 mm

depth	32 mm
fastening method	claw/screw mounting
Net Weight	67 g
material of the enclosure	metal

### Approvals Certificates

Environmental Product Declaration	
• global warming potential [CO2 eq] / during manufacturing	0.353 kg
• global warming potential [CO2 eq] / during operation	4.49 kg
• global warming potential [CO2 eq] / after end of life	0.0164 kg
• global warming potential [CO2 eq] / total	4.86 kg

Environment	General Product Approval
-------------	--------------------------



### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2117>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TD2117>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TD2117](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2117)

**CAX-Online-Generator**


<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**

[https://curves.simarisiemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simarisiemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/4/2025 

