




SENTRON, cylindrical fuse holder, 8x32 mm, 1-pole, In: 20 A, Un AC: 400 V, LED signal detector

| Model | |
|---|-------------------------|
| product brand name | SENTRON |
| product designation | Cylindrical fuse holder |
| design of the product | LED signal detector |
| General technical data | |
| number of poles | 1 |
| size of fuse link | 8x32 mm |
| Supply voltage | |
| operating voltage | 400 V |
| • at AC rated value | |
| protection class IP | IP20 |
| Mechanical Design | |
| height | 81 mm |
| width | 18 mm |
| depth | 64 mm |
| Net Weight | 69 g |
| Certificates | |
| reference code according to IEC 81346-2 | F |

Approvals Certificates

| Environment | General Product Approval | Test Certificates |
|---|---|--|
| Environmental Confirmations |   | Confirmation  Miscellaneous |

other



[Confirmation](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7314>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7314>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7314

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simarisiemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>





last modified:

4/11/2025 

