

Pin busbar touch-safe, 16 mm<sup>2</sup> 1-phase, 1016 mm long can be cut, without end caps



Figure similar

product brand name	SENTRON
product designation	Pin busbar
design of the product	56x 1PH
design of the phase tap	L1/L1
<b>General technical data</b>	
compatibility	for MCBs 1P
design of pole	1 pole
phase number	1
operational current rated value	80 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	No
color	light grey
<b>Product details</b>	
product component with end cap	No
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	Yes
number of devices suitable for fitting	56
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	4 mm
width	13 mm
length	1 016 mm
number of modular width units	56
cross-section	16 mm <sup>2</sup>
angle of the pin of busbar	90°
Net Weight	201 g
<b>Approvals Certificates</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



## Further information

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3701>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3701>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3701](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3701)

### CAX-Online-Generator

<https://www.siemens.com/cax>


### Tender specifications

<https://www.siemens.com/specifications>

### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)





---

last modified:

8/8/2025 

