

pin busbar, 1-phase straight 10 mm<sup>2</sup>, 54 MW, insulation blue can be cut for AFDD  
5SM601.-2 pin spacing 2 MW



product brand name	SENTRON
product designation	Pin busbar
design of the product	28x N
design of the phase tap	N/N
<b>General technical data</b>	
compatibility	for 5SM601. and 5TY1 COM
design of pole	N
phase number	1
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	blue
<b>Product details</b>	
product component with end cap	No
product feature attachable arc fault detection device	Yes
product feature insulated	Yes
product function	
• suitable for compact devices	No
• can be cut	Yes
number of devices suitable for fitting	28
type of electrical connection	Pin
<b>Mechanical Design</b>	
module width	18 mm
height	10 mm
width	6 mm
length	1 000 mm
number of modular width units	56
cross-section	10 mm <sup>2</sup>
angle of the pin of busbar	0°
Net Weight	138 g
<b>Approvals Certificates</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3765-2>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3765-2>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3765-2](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3765-2)

**CAX-Online-Generator**


<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

last modified:

1/15/2026 

