



Figure similar

SITOR cylindrical fuse link, 22x58 mm, 63 A, gR, Un AC: 690 V, Un DC: 250 V

| Model                                    |                          |
|------------------------------------------|--------------------------|
| product brand name                       | SETRON                   |
| product designation                      | SITOR fuse link          |
| General technical data                   |                          |
| operating class of the fuse link         | gR                       |
| type of voltage of the operating voltage | AC                       |
| supply voltage at DC                     | 250 V                    |
| Main circuit                             |                          |
| operational current rated value          | 63 A                     |
| Product details                          |                          |
| product component striker                | No                       |
| Mechanical Design                        |                          |
| mounting position                        | Any, preferably vertical |
| Net Weight                               | 55 g                     |
| Approvals Certificates                   |                          |
| Environment                              | General Product Approval |


[Environmental Con-  
firmations](#)



[Environmental Con-  
firmations](#)



| Further information                                                                                                                                                                                       |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Information on the packaging                                                                                                                                                                              |  |
| <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                   |  |
| Information for data generation and storage                                                                                                                                                               |  |
| <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>                                                                   |  |
| Information- and Downloadcenter (Catalogs, Brochures,...)                                                                                                                                                 |  |
| <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>                                                                                                     |  |
| Industry Mall (Online ordering system)                                                                                                                                                                    |  |
| <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2263-0MK">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2263-0MK</a>                                 |  |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)                                                                                                                                        |  |
| <a href="https://support.industry.siemens.com/cs/ww/en/ps/3NC2263-0MK">https://support.industry.siemens.com/cs/ww/en/ps/3NC2263-0MK</a>                                                                   |  |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)                                                                                                           |  |
| <a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2263-0MK">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2263-0MK</a>                                               |  |
| CAx-Online-Generator                                                                                                                                                                                      |  |
| <a href="https://www.siemens.com/cax">https://www.siemens.com/cax</a>                                                                                                                                     |  |
| Tender specifications                                                                                                                                                                                     |  |
| <a href="https://www.siemens.com/specifications">https://www.siemens.com/specifications</a>                                                                                                               |  |
| Characteristic curves                                                                                                                                                                                     |  |
| <a href='https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP="HAUPT"&gt;&lt;/mmp_prod_no&gt;'>https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP="HAUPT"&gt;&lt;/mmp_prod_no&gt;</a> |  |



last modified:

11/14/2025 [↗](#)

