

DELTA switches and pushbutton switches LED lamp insert for control function 230 V/50 Hz, orange



Model	
product brand name	DELTA
type of light source	filament lamp
socket design	plug-in socket
General technical data	
reference code according to DIN 40719 extended according to IEC 204-2 according to IEC 750	P
Supply voltage	
supply voltage rated value	230 V
operational current rated value	0.9 mA
Suitability	
suitability for integration	switch/pushbutton
Mechanical Design	
Net Weight	4 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Conformations](#)



### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG7333>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG7333>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TG7333](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG7333)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

---

last modified:

4/4/2025 

