

DELTA switches and pushbutton switches LED lamp insert for control function 230 V/50 Hz, red



Model	
product brand name	DELTA
type of light source	filament lamp
socket design	plug-in socket
General technical data	
reference code according to DIN 40719 extended according to IEC 204-2 according to IEC 750	P
Supply voltage	
supply voltage rated value	230 V
operational current rated value	1 mA
Suitability	
suitability for integration	switch/pushbutton
Mechanical Design	
Net Weight	7 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Conformations](#)



### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG7353>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TG7353>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TG7353](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG7353)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

---

last modified:

4/4/2025 

