

rotary operating mechanism compl. black IP65 for 5SY, 5SP4, 5SL, 5TL1, 5TE2 and 5SU1 from 2 modular widths

Model	
product brand name	SENTRON
product designation	Rotary operators
design of the product	accessories for low-voltage controls
protection class IP on the front	IP65
suitability for use switch disconnecter	No
suitability for use circuit breaker	Yes
suitability for use EMERGENCY OFF switch	No
color	black
• of the actuating element	black
product feature can be locked in ON position	No
• Product component with axis	No
• product component restart inhibit function block	No
• product component padlock locking mechanism	No
• product component key lock	No
special product feature	lockable with 3 locks in 0 position
product feature can be locked into OFF position	Yes
number of bracket locks maximum	3
hasp thickness of the bracket locks	7 mm
Net Weight	305 g

Approvals Certificates

Environment	General Product Approval	other
Environmental Confirmations	Confirmation	
Environmental Confirmations	Miscellaneous	

other

[Confirmation](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3060>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5ST3060>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3060

CAx-Online-Generator
<https://www.siemens.com/cax>

Tender specifications
<https://www.siemens.com/specifications>

Characteristic curves

https://curves.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

2/12/2026 

