

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.



Wire marking, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: clip on, cable diameter range: 2.9 ... 3.5 mm, lettering field size: 12 x 4 mm, Number of individual labels: 32

Avantajele dumneavoastră

- The UCT-WMCO ... UniCard labeling range includes markers for the subsequent labeling of conductors by simply snapping on
- Large-surface labeling option in a space-saving design
- Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications
- Secure tight fit even in the event of vibrations
- The format automatically ensures printing with a high degree of positioning accuracy

Date comerciale

Număr articol	0830782
Unitate de ambalare	7 Bucată
Cantitate minimă pentru comandă	7 Bucată
Cod produs	BG2218
Pagina de catalog	Pagina 209 (C-3-2019)
GTIN	4046356772389
Greutate pe bucată (inclusiv ambalajul)	12,8 g
Greutate pe bucată (fără ambalaj)	12,95 g
Cod tarifar vamal	39269097
Țara de origine	PL

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Date tehnice

Product properties

Product type	Conductor marking
Type	Card form

Data management status

Article revision	02
------------------	----

Marking

Number of individual labels	32
Number of individual labels per row	8

Dimensions

Width	4 mm
Text field width	12.00 mm
Text field height	4.00 mm
Length	12 mm

External dimensions

Outside diameter	2.9 mm ... 3.5 mm
------------------	-------------------

Material specifications

RoHS compliant	yes
Color	white
Material	PC
Flammability rating according to UL 94	V0
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone, halogen, and cadmium

Cable/line

External cable diameter	2.9 mm ... 3.5 mm
-------------------------	-------------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	clip on
---------------	---------

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Clasificări

ECLASS

ECLASS-11.0	27281102
ECLASS-12.0	27281102
ECLASS-13.0	27281102

ETIM

ETIM 9.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Environmental product compliance

EU RoHS

Îndeplinește cerințele conform directivei RoHS

Da, Nicio reglementare privind excepțiile

EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)

Nicio substanță cu un procentaj masic mai mare de 0,1 %

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

Accesorii

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

<https://www.phoenixcontact.com/ro/produse/1085267>



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK PRIME 2.0 - Thermal transfer printer

1472405

<https://www.phoenixcontact.com/ro/produse/1472405>



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.

UCT-WMCO 3,5 (12X4) - Wire marking



0830782

<https://www.phoenixcontact.com/ro/produse/0830782>

BLUEMARK ID - Printer

1003334

<https://www.phoenixcontact.com/ro/produse/1003334>



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

<https://www.phoenixcontact.com/ro/produse/1002329>



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



TOPMARK NEO - Laser marker

1012015

<https://www.phoenixcontact.com/ro/produse/1012015>



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

<https://www.phoenixcontact.com/ro/produse/0801384>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/ro/produse/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/ro/produse/0803374>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/ro/produse/1044345>



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/ro/produse/1044346>



Replacement UV fluid, 23 ml, color: cyan

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/ro/produse/1044347>



Replacement UV fluid, 23 ml, color: magenta

BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/ro/produse/1044348>



Replacement UV fluid, 23 ml, color: yellow

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

<https://www.phoenixcontact.com/ro/produse/5146662>

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge



BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

<https://www.phoenixcontact.com/ro/produse/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



TMP-UCT-MAG25 - Magazine

0803369

<https://www.phoenixcontact.com/ro/produse/0803369>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMCO ... (12x4), length: 0.166 m, width: 114 mm, height: 11.5 mm



BM ID-MAG20 - Magazine

1044356

<https://www.phoenixcontact.com/ro/produse/1044356>

Infeed magazine for accommodating a max. of 20 UniCard sheets



UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



BM ID-MAG40 - Magazine

1044357

<https://www.phoenixcontact.com/ro/produse/1044357>

Infeed magazine for accommodating a maxi. of 40 UniCard sheets




TOPMARK LASER-MAG UCT-A - Magazine

0803141

<https://www.phoenixcontact.com/ro/produse/0803141>

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



TOPMARK LASER-MAG UCT-M - Magazine

0803143

<https://www.phoenixcontact.com/ro/produse/0803143>

Magazine for the TOPMARK LASER, for accommodating UCT material manually



THERMOMARK CARD - Thermal transfer printer

5146464

<https://www.phoenixcontact.com/ro/produse/5146464>

Thermal transfer printer for cards



UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



THERMOMARK PRIME - Thermal transfer printer

5148888

<https://www.phoenixcontact.com/ro/produse/5148888>



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m

BLUEMARK CLED - Printer

5147999

<https://www.phoenixcontact.com/ro/produse/5147999>



Printers with LED-UV technology for printing plastic labels in UniCard format.

UCT-WMCO 3,5 (12X4) - Wire marking

0830782

<https://www.phoenixcontact.com/ro/produse/0830782>



THERMOMARK CARD-UCT-MAG25 - Magazine

0802935

<https://www.phoenixcontact.com/ro/produse/0802935>

Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets (UCT-WMCO...(12x4))



Phoenix Contact 2024 © - Toate drepturile rezervate

<https://www.phoenixcontact.com>

PHOENIX CONTACT România

Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1

Bucuresti 030133

+40 21 350 88 12 - 3

sales.ro@phoenixcontact.com