

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 3.5 mm, lettering field size: 2.7 x 4.7 mm, Number of individual labels: 108

## Avantajele dumneavoastră

- The UCT-TM... UniCard labeling range includes markers for Phoenix Contact products with tall and flat marker grooves, e.g. terminals
- The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- The sheets provide additional space for project information and function text that can be helpful during further assembly
- The multi-section marking strips are easy to fit and can be easily separated if required
- Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

## Date comerciale

Număr articol	0829486
Unitate de ambalare	10 Bucată
Cantitate minimă pentru comandă	1 Bucată
Cod produs	BG2118
Pagina de catalog	Pagina 134 (C-3-2019)
GTIN	4046356571135
Greutate pe bucată (inclusiv ambalajul)	11,186 g
Greutate pe bucată (fără ambalaj)	9,503 g
Cod tarifar vamal	39269097
Țara de origine	PL

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

## Date tehnice

### Notes

General	Can be labeled via thermal transfer
---------	-------------------------------------

### Product properties

Product type	Terminal marking
Pitch	3.5 mm
Type	flat

### Data management status

Article revision	03
------------------	----

### Marking

Number of individual labels	108
Number of individual labels per row	18
Identification technology	Thermal transfer for sheets and cards

### Dimensions

Width	2.95 mm
Text field width	2.70 mm
Height	1.64 mm
Text field height	4.70 mm
Length	5 mm
Pitch	3.5 mm

### Material specifications

Color	white
Material	PC
Flammability rating according to UL 94	V0
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone and halogen

### Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

Scratch test for the determining scratch resistance

Specification	DIN EN ISO 1518-1:2019-10 (following)
Requirements	≥ 5 N

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

Result	Test passed
--------	-------------

## Tesa film test

Specification	DIN EN ISO 2409:2013 (following)
Result	Test passed

## UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

## Temperature resistance

Specification	ANSI/UL 969-2018:03 (following)
Test duration	240 h
Rating 100 °C (121 °C)	Test passed

## Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-01):2020-03 DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed
Sodium hydroxide 0.1 mol/l [CAS No. 1310-73-2]	Test passed
Ethanol (99 %) [CAS No. 64-17-5]	Test passed
Specification	ISO 175:2010 (following)
Test duration	168 h
Diesel [CAS No. 68476-34-6]	Test passed
IRM 901	Test passed
IRM 902	Test passed

## Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	ISO 22479:2019-05
Result	Test passed
Procedure	Method B
Cycles	2

## Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed
Test duration	96 h

## Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
---------------------------------	-------------------

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	2 years

## Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

## Mounting

Mounting type	snapped
---------------	---------

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

## Clasificări

### ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

### ETIM

ETIM 9.0	EC000761
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# UCT-TMF 3,5 - Marker for terminal blocks



0829486

<https://www.phoenixcontact.com/ro/produse/0829486>

## Environmental product compliance

### EU RoHS

Îndeplinește cerințele conform directivei RoHS

Da, Nicio reglementare privind excepțiile

### EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)

Nicio substanță cu un procentaj masic mai mare de 0,1 %

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produse/0829486>



## Accesorii

### THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

<https://www.phoenixcontact.com/ro/produse/1085267>



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

---

### THERMOMARK PRIME 2.0 - Thermal transfer printer

1472405

<https://www.phoenixcontact.com/ro/produse/1472405>



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>

## BLUEMARK ID - Printer

1003334

<https://www.phoenixcontact.com/ro/produce/1003334>



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

---

## BLUEMARK ID COLOR - Printer

1002329

<https://www.phoenixcontact.com/ro/produce/1002329>



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>



## TOPMARK NEO - Laser marker

1012015

<https://www.phoenixcontact.com/ro/produce/1012015>



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

---

## THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

<https://www.phoenixcontact.com/ro/produce/0801384>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>



## THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/ro/produce/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

---

## TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/ro/produce/0803374>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produse/0829486>



## BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/ro/produse/1044345>



Replacement UV fluid, 23 ml, color: black

---

## BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/ro/produse/1044346>



Replacement UV fluid, 23 ml, color: cyan

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>



## BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/ro/produce/1044347>



Replacement UV fluid, 23 ml, color: magenta

---

## BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/ro/produce/1044348>



Replacement UV fluid, 23 ml, color: yellow

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>

## BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

<https://www.phoenixcontact.com/ro/produce/5146662>

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge



---

## BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

<https://www.phoenixcontact.com/ro/produce/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>

## TMP-UCT-MAG2 - Magazine

0803343

<https://www.phoenixcontact.com/ro/produce/0803343>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TMF..., length: 0.166 m, width: 114 mm, height: 11.5 mm



---

## BM ID-MAG20 - Magazine

1044356

<https://www.phoenixcontact.com/ro/produce/1044356>

Infeed magazine for accommodating a max. of 20 UniCard sheets



# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produse/0829486>



## BM ID-MAG40 - Magazine

1044357

<https://www.phoenixcontact.com/ro/produse/1044357>

Infeed magazine for accommodating a maxi. of 40 UniCard sheets




---

## TOPMARK LASER-MAG UCT-A - Magazine

0803141

<https://www.phoenixcontact.com/ro/produse/0803141>

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



## UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>



## TOPMARK LASER-MAG UCT-M - Magazine

0803143

<https://www.phoenixcontact.com/ro/produce/0803143>

Magazine for the TOPMARK LASER, for accommodating UCT material manually



---

## THERMOMARK CARD - Thermal transfer printer

5146464

<https://www.phoenixcontact.com/ro/produce/5146464>

Thermal transfer printer for cards



# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produce/0829486>



## THERMOMARK PRIME - Thermal transfer printer

5148888

<https://www.phoenixcontact.com/ro/produce/5148888>



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m

---

## BLUEMARK CLED - Printer

5147999

<https://www.phoenixcontact.com/ro/produce/5147999>



Printers with LED-UV technology for printing plastic labels in UniCard format.

# UCT-TMF 3,5 - Marker for terminal blocks

0829486

<https://www.phoenixcontact.com/ro/produse/0829486>



## THERMOMARK CARD-UCT-MAG2 - Magazine

5146563

<https://www.phoenixcontact.com/ro/produse/5146563>

Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets (UCT-TMF...)



---

Phoenix Contact 2024 © - Toate drepturile rezervate

<https://www.phoenixcontact.com>

PHOENIX CONTACT România

Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1

Bucuresti 030133

+40 21 350 88 12 - 3

[sales.ro@phoenixcontact.com](mailto:sales.ro@phoenixcontact.com)