



DELTA flaeche IP44, AP Dark gray/light gray pushbutton 10 A 250 V, 66x 75 mm with white window (neutral/ light/bell/door opener)

Model	
product brand name	DELTA
product designation	pushbutton + universal switch
design of the product	single pushbutton
design of the switching function	1 NO contact
type of composition	base element with complete housing
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Other
mounting type	surface mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	230 V
Protection class	
protection class IP	IP44
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	shiny
color	grey
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	1
number of CO contacts	0
product feature halogen-free	Yes
product feature transparent	No
Number	
number of actuating rockers	1
Mechanical Design	
height	75 mm
width	66 mm

depth	54 mm
fastening method	screw fixing
Net Weight	105 g
material of the enclosure	plastic

#### Approvals Certificates

Environment	General Product Approval
-------------	--------------------------

[Environmental Conformations](#)



#### Further information

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information for data generation and storage**

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD4701>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TD4701>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TD4701](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD4701)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Characteristic curves**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



