

DELTA switch device insert FM, OFF switch 2-pole 10 A 250V

Model	
product brand name	DELTA
type of installation switch	rotary switch
type of light source	Without lighting
type of composition	basic element
design of the actuating element	rocker/button
General technical data	
type of switch	switch 2-pole
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• signaling contact	No
• pushbutton switch	No
product feature halogen-free	Yes
Number	
number of actuating rockers	1
Connections	
type of electrical connection	Plug-in terminal
Mechanical Design	
height	70 mm
fastening method	claw/screw mounting
Net Weight	64 g
material of the enclosure	metal
Approvals Certificates	

## Environmental Product Declaration

- |  |           |
|--|-----------|
| • global warming potential [CO2 eq] / during manufacturing | 0.353 kg  |
| • global warming potential [CO2 eq] / during operation     | 4.49 kg   |
| • global warming potential [CO2 eq] / after end of life    | 0.0164 kg |
| • global warming potential [CO2 eq] / total                | 4.86 kg   |

## Environment

## General Product Approval



## Further information

### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2112>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2112>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TA2112](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2112)

### CAX-Online-Generator


<https://www.siemens.com/cax>

### Tender specifications

<https://www.siemens.com/specifications>

### Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

9/6/2025 