

Sonda De Masurare A Nivelului Lichidului La9 - 100 °C

LA9RM201



Principale

gama de produse	Harmony Control Relays
Tip produs sau componenta	Level control probe
denumire accesorii/piese separate	Sonda pentru controlul nivelului lichidului
destinatie accesorii/piese separate	Releu de control pentru nivelul lichidului
categorii accesorii / piese de schimb	Accesorii releu
Compatibilitate produs	RM84 RM4L RM35LM

Suplimentare

diametru	16 mm
lungime	150 mm
Tip de instalare	Suspendare cabluri
greutate produs	0,1 kg

Mediu

temperatura maxima ambientala de operare	100 °C
--	--------

Unitati de ambalare

Unitate de masura pentru prima forma de impachetare	PCE
Numar unitati in prima forma de impachetare	1
Inaltime prima forma de impachetare	2,600 cm
Latime prima forma de impachetare	15,700 cm
Lungime prima forma de impachetare	2,600 cm
Greutate prima forma de impachetare	95,000 g
Unitate de masura pentru a doua forma de impachetare	S01
Numar unitati in a doua forma de impachetare	40
Inaltime a doua forma de impachetare	15,000 cm
Latime a doua forma de impachetare	15,000 cm
Lungime a doua forma de impachetare	40,000 cm
Greutate a doua forma de impachetare	3,909 kg

Declinare de responsabilitate: Această documentație nu se substituie și nu trebuie utilizată pentru stabilirea adecvării sau fiabilității acestor produse pentru aplicații utilizator

Garanție contractuală

Garantie	18 luni
----------	---------



Environmental Data

Schneider Electric isi propune sa atinga nivelul Net Zero pana in 2050 prin parteneriate la nivelul lantului de aprovizionare, materiale cu impact mai redus si circularitate, prin campania „Use Better, Use Longer, Use Again” pentru a extinde durata de viata a produselor si reciclabilitatea.

[Environmental Data explicate >](#)

[Cum evaluam sustenabilitatea produselor >](#)

Amprenta de mediu	
Amprenta de carbon (kg CO2 eq.)	2
Use Better	
Materiale si ambalare	
Pachet cu carton reciclabil	Da
Ambalaj fara plastic	Da
Directiva RoHS UE	Conformitate proactiva (Produs in afara domeniului de aplicare a EU RoHS)
Use Again	
Reambalare si refabricare	
Preluare la sfarsitul duratei de viata	No

Offer Marketing Illustration

Product benefits / Features

Features

Harmony Control Relay



Wide monitoring parameters (phase, current, voltage, liquid level, frequency, speed, temperature, and pump control) to meet your application needs.



Experience unprecedented accuracy, predictive maintenance, and superior security.



Compatible with a wide range of applications, such as hoisting, packaging, lifts, textile, pumping, and water.



True RMS measurement that minimizes the possibility of unexpected trips from highly polluted networks (except RM17TG and RM22TG)



Green Premium labelled products, promising compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ product



4

Life Is On | Schneider Electric

29 iun. 2025

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony Control Relay




Image of product in real life situation

