

ZB10/WH-100:UNBEDRUCKT - Zack marker strip



5060883

<https://www.phoenixcontact.com/ro/produse/5060883>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.



Zack marker strip, Strip, white, unlabeled, can be labeled with: CMS-P1-PLOTTER, PLOTMARK, mounting type: snapped, for terminal block width: 10.2 mm, lettering field size: 10,15 x 10,5 mm, Number of individual labels: 1000

Avantajele dumneavoastră

- Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- The ZB zack marker strip system is a marking solution for modular terminal blocks and electronics modules with tall marker grooves

Date comerciale

Număr articol	5060883
Unitate de ambalare	100 Bucată
Cantitate minimă pentru comandă	100 Bucată
Cod produs	BG2112
Pagina de catalog	Pagina 121 (C-3-2019)
GTIN	4017918096113
Greutate pe bucată (inclusiv ambalajul)	2,242 g
Greutate pe bucată (fără ambalaj)	2,101 g
Cod tarifar vamal	39269097
Țara de origine	DE

5060883

<https://www.phoenixcontact.com/ro/produse/5060883>

Date tehnic

Notes

General	Can be labeled with CMS
---------	-------------------------

Product properties

Product type	Terminal marking
Pitch	10.2 mm
Type	high

Data management status

Article revision	01
------------------	----

Marking

Number of individual labels	1000
Number of individual labels per row	10
Number of marker strips	100

Dimensions

Width	10 mm
Text field width	10.15 mm
Text field height	10.50 mm
Pitch	10.2 mm

Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

ZB10/WH-100:UNBEDRUCKT - Zack marker strip



5060883


<https://www.phoenixcontact.com/ro/produse/5060883>

Mounting

Mounting type	snapped
---------------	---------

Desene

Schematic diagram



5060883

<https://www.phoenixcontact.com/ro/produse/5060883>

Clasificări

ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

ETIM

ETIM 9.0	EC000761
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

5060883

<https://www.phoenixcontact.com/ro/produse/5060883>

Environmental product compliance

EU RoHS

Îndeplinește cerințele conform directivei RoHS

Da, Nicio reglementare privind excepțiile

EU REACH SVHC

Trimitere la substanța candidată REACH (nr. CAS)

Nicio substanță cu un procentaj masic mai mare de 0,1 %

ZB10/WH-100:UNBEDRUCKT - Zack marker strip



5060883

<https://www.phoenixcontact.com/ro/produse/5060883>


Accesorii

PLOTMARK - Marking plotter

0804499

<https://www.phoenixcontact.com/ro/produse/0804499>

Marking plotter for the entire portfolio of UC marking materials and materials in sheet and strip format.




CMS-P1-PLOTTER - Marking plotter

5144615

<https://www.phoenixcontact.com/ro/produse/5144615>

Marking plotter, weight: 8 kg, length: 0.66 m, width: 440 mm, height: 125 mm, color: silver



ZB10/WH-100:UNBEDRUCKT - Zack marker strip

5060883

<https://www.phoenixcontact.com/ro/produce/5060883>



CMS-P1-M/ZB - Magazine insert

5144699

<https://www.phoenixcontact.com/ro/produce/5144699>



Plastic magazines for CMS-P1-PLOTTER and PLOTMARK. For accommodating 22 zack marker strips

Phoenix Contact 2024 © - Toate drepturile rezervate

<https://www.phoenixcontact.com>

PHOENIX CONTACT România

Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1

Bucuresti 030133

+40 21 350 88 12 - 3

sales.ro@phoenixcontact.com