

Pin busbar, 1-phase 10 mm², 13 pins, Insulation gray



product brand name	SETRON
product designation	Pin busbar
design of the product	13x 1PH
design of the phase tap	L1/L1
General technical data	
compatibility	for MCBs 1P+N compact
design of pole	1 pole
phase number	1
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
color	light grey
Product details	
product component with end cap	Yes
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
• suitable for compact devices	No
number of devices suitable for fitting	13
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
length	234 mm
number of modular width units	13
cross-section	10 mm ²
angle of the pin of busbar	0°
Net Weight	37 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

[Miscellaneous](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=5ST3760>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3760>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=5ST3760

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

1/15/2026 

